

1 **P987.6™/D3**  
2 **Draft Standard for Recommended**  
3 **Practice for Preparing an IEEE**  
4 **Standards Draft**

5 Developed by the  
6  
7 **Standards Staff Engineering Committee**  
8 of the  
9 **IEEE Template Society**

10  
11  
12 Approved  
13  
14 **IEEE SA Standards Board**

15 Copyright © 2020 by The Institute of Electrical and Electronics Engineers, Inc.  
16 Three Park Avenue  
17 New York, New York 10016-5997, USA

18 All rights reserved.

19 This document is an unapproved draft of a proposed IEEE Standard. As such, this document is subject to  
20 change. USE AT YOUR OWN RISK! IEEE copyright statements SHALL NOT BE REMOVED from draft  
21 or approved IEEE standards, or modified in any way. Because this is an unapproved draft, this document  
22 must not be utilized for any conformance/compliance purposes. Permission is hereby granted for officers  
23 from each IEEE Standards Working Group or Committee to reproduce the draft document developed by that  
24 Working Group for purposes of international standardization consideration. IEEE Standards Department must  
25 be informed of the submission for consideration prior to any reproduction for international standardization  
26 consideration ([stds-ipr@ieee.org](mailto:stds-ipr@ieee.org)). Prior to adoption of this document, in whole or in part, by another  
27 standards development organization, permission must first be obtained from the IEEE Standards Department  
28 ([stds-ipr@ieee.org](mailto:stds-ipr@ieee.org)). When requesting permission, IEEE Standards Department will require a copy of the  
29 standard development organization's document highlighting the use of IEEE content. Other entities seeking  
30 permission to reproduce this document, in whole or in part, must also obtain permission from the IEEE  
31 Standards Department.

32 IEEE Standards Department  
33 445 Hoes Lane  
34 Piscataway, NJ 08854, USA

1 **Abstract:** Key discussion points covered in the draft are stated here in a few complete sentences,  
2 using passive rather than active voice. The more specific the better since the abstract often  
3 populates search engines and catalog databases.

4 **Keywords:** designation, document development, draft, equation, figure, guide, IEEE 987.6™,  
5 introduction, list, purpose, recommended practice, scope, standard

## 6 **Acknowledgements**

7 Permissions have been granted as follows:

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2020 by The Institute of Electrical and Electronics Engineers, Inc.

All rights reserved. Published <Date Approved>. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-XXXX-XXXX-X STDXXXXX  
Print: ISBN 978-0-XXXX-XXXX-X STDPDXXXXX

*IEEE prohibits discrimination, harassment, and bullying.*

*For more information, visit <https://www.ieee.org/about/corporate/governance/p9-26.html>.*

*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.*

## 1 **Important Notices and Disclaimers Concerning IEEE Standards Documents**

2 IEEE Standards documents are made available for use subject to important notices and legal disclaimers.  
3 These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>),  
4 appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning  
5 IEEE Standards Documents.”

## 6 **Notice and Disclaimer of Liability Concerning the Use of IEEE Standards** 7 **Documents**

8 IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating  
9 Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards  
10 through an accredited consensus development process, which brings together volunteers representing varied  
11 viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers  
12 with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not  
13 necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE  
14 administers the process and establishes rules to promote fairness in the consensus development process, IEEE  
15 does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of  
16 any judgments contained in its standards.

17 IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties,  
18 express or implied, concerning this standard, including but not limited to the warranties of merchantability,  
19 fitness for a particular purpose and non-infringement. In addition, IEEE does not warrant or represent that  
20 the use of the material contained in its standards is free from patent infringement. IEEE standards documents  
21 are supplied “AS IS” and “WITH ALL FAULTS.”

22 Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there  
23 are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to  
24 the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and  
25 issued is subject to change brought about through developments in the state of the art and comments received  
26 from users of the standard.

27 In publishing and making its standards available, IEEE is not suggesting or rendering professional or other  
28 services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any  
29 other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or  
30 her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate,  
31 seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

32 IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
33 EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE  
34 NEED TO PROCURE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;  
35 OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
36 WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR  
37 OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE  
38 UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND  
39 REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

## 40 **Translations**

41 The IEEE consensus development process involves the review of documents in English only. In the event that  
42 an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

## 1 **Official statements**

2 A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations  
3 Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall  
4 not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars,  
5 or educational courses, an individual presenting information on IEEE standards shall make it clear that the  
6 presenter's views should be considered the personal views of that individual rather than the formal position  
7 of IEEE, IEEE SA, the Standards Committee, or the Working Group.

## 8 **Comments on standards**

9 Comments for revision of IEEE Standards documents are welcome from any interested party, regardless  
10 of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations,**  
11 **consulting information, or advice pertaining to IEEE Standards documents.**

12 Suggestions for changes in documents should be in the form of a proposed change of text, together with  
13 appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is  
14 important that any responses to comments and questions also receive the concurrence of a balance of interests.  
15 For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to  
16 provide an instant response to comments, or questions except in those cases where the matter has previously  
17 been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would  
18 like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant  
19 IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile  
20 & Interests area of the [IEEE SA myProject system](#).<sup>1</sup> An IEEE Account is needed to access the application.

21 Comments on standards should be submitted using the [Contact Us](#) form.<sup>2</sup>

## 22 **Laws and regulations**

23 Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with  
24 the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory  
25 requirements. Implementers of the standard are responsible for observing or referring to the applicable  
26 regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not  
27 in compliance with applicable laws, and these documents may not be construed as doing so.

## 28 **Data privacy**

29 Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and  
30 data ownership in the context of assessing and using the standards in compliance with applicable laws and  
31 regulations.

## 32 **Copyrights**

33 IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They  
34 are made available by IEEE and are adopted for a wide variety of both public and private uses. These include  
35 both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the  
36 promotion of engineering practices and methods. By making these documents available for use and adoption  
37 by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

---

<sup>1</sup> Available at: <https://development.standards.ieee.org/myproject-web/public/view.html#landing>.

<sup>2</sup> Available at: <https://standards.ieee.org/content/ieee-standards/en/about/contact/index.html>.

## 1 Photocopies

2 Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license  
3 to photocopy portions of any individual standard for company or organizational internal use or individual,  
4 non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance  
5 Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; [https://](https://www.copyright.com/)  
6 [www.copyright.com/](https://www.copyright.com/). Permission to photocopy portions of any individual standard for educational classroom  
7 use can also be obtained through the Copyright Clearance Center.

## 8 Updating of IEEE Standards documents

9 Users of IEEE Standards documents should be aware that these documents may be superseded at any time  
10 by the issuance of new editions or may be amended from time to time through the issuance of amendments,  
11 corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the  
12 document together with any amendments, corrigenda, or errata then in effect.

13 Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years  
14 old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of  
15 some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that  
16 they have the latest edition of any IEEE standard.

17 In order to determine whether a given document is the current edition and whether it has been amended  
18 through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#).<sup>3</sup> For more  
19 information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

## 20 Errata

21 Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#).<sup>4</sup> Search for standard number  
22 and year of approval to access the web page of the published standard. Errata links are located under the  
23 Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to  
24 periodically check for errata.

## 25 Patents

26 IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).<sup>5</sup>

27 Attention is called to the possibility that implementation of this standard may require use of subject matter  
28 covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the  
29 existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has  
30 filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE  
31 SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate  
32 whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation  
33 or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair  
34 discrimination to applicants desiring to obtain such licenses.

35 Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE  
36 is not responsible for identifying Essential Patent Claims for which a license may be required, for

---

<sup>3</sup> Available at <https://ieeexplore.ieee.org/browse/standards/collection/ieee>.

<sup>4</sup> Available at: <https://standards.ieee.org/standard/index.html>.

<sup>5</sup> Available at: <https://standards.ieee.org/about/sasb/patcom/materials.html>.

1 conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing  
2 terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any  
3 licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that  
4 determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their  
5 own responsibility. Further information may be obtained from the IEEE Standards Association.

## 6 **IMPORTANT NOTICE**

7 IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure  
8 against interference with or from other devices or networks. IEEE Standards development activities  
9 consider research and information presented to the standards development group in developing any  
10 safety recommendations. Other information about safety practices, changes in technology or technology  
11 implementation, or impact by peripheral systems also may be pertinent to safety considerations during  
12 implementation of the standard. Implementers and users of IEEE Standards documents are responsible for  
13 determining and complying with all appropriate safety, security, environmental, health, and interference  
14 protection practices and all applicable laws and regulations.

1 **Participants**

2 At the time this draft Standard was completed, the Working Group Name Working Group had the following  
3 membership:

4 **Arthur C. Clark, *Chair***  
5 **Alessandro Volta, *Vice Chair***

6			
7	Participant1	Participant4	Participant7
8	Participant2	Participant5	Participant8
9	Participant3	Participant6	Participant9

10 The following members of the individual Balloting Group Name Standards Association balloting group voted  
11 on this Standard. Balloters may have voted for approval, disapproval, or abstention.

12			
13	Participant1	Participant4	Participant7
14	Participant2	Participant5	Participant8
15	Participant3	Participant6	Participant9

16 When the IEEE SA Standards Board approved this Standard on <Date Approved>, it had the following  
17 membership:

18 **Claude Elwood Shannon, *Chair***  
19 **Charles-Augustin de Coulomb, *Vice Chair***

20			
21	SBMember1	SBMember4	SBMember7
22	SBMember2	SBMember5	SBMember8
23	SBMember3	SBMember6	SBMember9

24 \*Member Emeritus

## 1 **Introduction**

2 This introduction is not part of P987.6/D3, Draft Standard for Recommended Practice for Preparing an IEEE Standards  
3 Draft

4 The introduction of the frontmatter is informative. It serves to give readers context, including background,  
5 key themes, history, etc.



# 1 Contents

2	1. Overview.....	10
3	1.1. Scope.....	10
4	1.2. Purpose.....	10
5	1.3. Word usage.....	10
6	2. Normative references.....	11
7	3. Definitions, acronyms and abbreviations.....	11
8	3.1. Definitions.....	11
9	3.2. Acronyms and abbreviations.....	12
10	4. Important elements of IEEE standards drafts.....	12
11	4.1. General.....	12
12	4.2. Lists.....	13
13	4.3. Tables.....	13
14	4.4. Figures.....	14
15	4.5. Equations.....	15
16	Annex A (informative) Sample bibliography.....	16
17	Annex B (normative) Structure of a sample annex.....	17
18	B.1. Overview.....	17
19	B.2. Material in annexes.....	17

# 1 Draft Standard for Recommended 2 Practice for Preparing an IEEE 3 Standards Draft

## 4 1. Overview

### 5 1.1. Scope

6 The scope shall be within the technical boundaries, as determined by the balloting group, of the scope  
7 submitted on the PAR. If the standard incorporated Open Source, this should be noted in the Scpe along with  
8 a link to the Open Source of the URL.

### 9 1.2. Purpose

10 The purpose shall be within the technical boundaries, as determined by the balloting group, of the purpose  
11 submitted on the PAR.

### 12 1.3. Word usage

13 The word *shall* indicates mandatory requirements strictly to be followed in order to conform to the standard  
14 and from which no deviation is permitted (*shall* equals *is required to*).<sup>6,7</sup>

15 The word *should* indicates that among several possibilities one is recommended as particularly suitable,  
16 without mentioning or excluding others; or that a certain course of action is preferred but not necessarily  
17 required (*should* equals *is recommended that*).

18 The word *may* is used to indicate a course of action permissible within the limits of the standard (*may* equals  
19 *is permitted to*).

20 The word *can* is used for statements of possibility and capability, whether material, physical, or causal (*can*  
21 equals *is able to*).

---

<sup>6</sup> The use of the word *must* is deprecated and cannot be used when stating mandatory requirements; *must* is used only to describe unavoidable situations.

<sup>7</sup> The use of *will* is deprecated and cannot be used when stating mandatory requirements; *will* is only used in statements of fact.

## 1     **2. Normative references**

2     The following referenced documents are indispensable for the application of this document (i.e., they must  
3     be understood and used, so each referenced document is cited in text and its relationship to this document is  
4     explained). For dated references, only the edition cited applies. For undated references, the latest edition of  
5     the referenced document (including any amendments or corrigenda) applies.

6     IEEE Std 91,

7     Accredited Standards, Accredited Standards Committee C2-2012, National Electrical Safety Code<sup>®</sup>  
8     (NESC<sup>®</sup>).<sup>8 9</sup>

9     IEEE P802.21/D14, IEEE P802.21<sup>™</sup> (Draft 14, November 2003), Draft Standard for Local and  
10    Metropolitan Area Networks—Media Independent Handover Services.<sup>10</sup>

11    IEEE/ASTM SI, IEEE/ASTM SI 10<sup>™</sup>, American National Standard for Metric Practice.

12    NFPA 70, NFPA 70, 2011 Edition, National Electrical Code<sup>®</sup> (NEC<sup>®</sup>).<sup>11 12</sup>

13    IEEE 260.1-2004 / IEEE 260.1<sup>™</sup>-2004, IEEE Standard Letter Symbols for Units of Measurement (SI  
14    Customary Inch-Pound Units, and Certain Other Units).

15    ISO/IEC 27002:2013, Information technology—Security techniques—Code of practice for information  
16    security controls.

## 17    **3. Definitions, acronyms and abbreviations**

### 18    **3.1. Definitions**

19    For the purposes of this document, the following terms and definitions apply. The *IEEE Standards Dictionary*  
20    *Online* should be consulted for terms not defined in this clause.<sup>13</sup>

21    **acceleration-insensitive drift rate:** The component of... *See also:* **drift rate; systematic drift rate.**

22    **code set:** *See:* **coded character set.**

23    **coded character set:** A set of characters. *Syn:* **code set.**

24    **drift rate:** The slope at a stated time of... (adapted from ISO/IEC 9945-1:2003 [B3])

---

<sup>8</sup> National Electrical Safety Code and NESC are both registered trademarks and service marks of The Institute of Electrical and Electronics Engineers, Incorporated.

<sup>9</sup> The NESC is available from The Institute of Electrical and Electronics Engineers at <http://standards.ieee.org/>.

<sup>10</sup> Numbers preceded by P are IEEE authorized standards projects that were not approved by The IEEE SA Standards Board at the time this publication went to Sponsor ballot/press. For information about obtaining drafts, contact the IEEE.

<sup>11</sup> National Electrical Code and NEC are both registered trademarks of the National Fire Protection Association, Incorporated.

<sup>12</sup> The NEC is published by the National Fire Protection Association (<http://www.nfpa.org/>). Copies are also available from The Institute of Electrical and Electronics Engineers at <http://shop.ieee.org/>.

<sup>13</sup> *IEEE Standards Dictionary Online* is available at: <http://dictionary.ieee.org>. An IEEE Account is required for access to the dictionary, and one can be created at no charge on the dictionary sign-in page.

- 1 **input reference axis:** The direction of an axis. *Syn:* **IRA**.
- 2 NOTE—See 6.7.<sup>14</sup>
- 3 **IRA:** *See:* **input reference axis**.
- 4 **output:** (A) Data that ... (B) The process of ...
- 5 **systematic drift rate:** That component of drift rate that... (IEEE 260.1-2004)

## 6 **3.2. Acronyms and abbreviations**

7	DER	distributed emission regeneration
8	DIS	distributed interactive simulation
9	ISDN	integrated services digital network
10	LAN	local area network
11	PDU	protocol data unit

## 12 **4. Important elements of IEEE standards drafts**

### 13 **4.1. General**

14 IEEE drafts should be created using one of the approved IEEE SA templates. The templates have built-in  
15 macro features that allow for easy tagging of each of the draft elements.<sup>15</sup>

16 Sources listed in the normative references clause shall also be cited in text. Explain the role and significance of  
17 each normative reference. Note that IEEE drafts may be included in the normative references clause as long as  
18 they are properly cited. See reference to IEEE P802.21 (Draft 14, November 2003) in Clause 2 of this sample.

19 NOTE 1—A normative reference is a document that users of the standard need to have on hand and understand in order  
20 to correctly implement the material contained in an IEEE draft.<sup>16</sup>

21 NOTE 2—Documents that serve as supplemental information that authors of the standard found useful when researching  
22 the material, but that do not carry the same weight as the normative references, are usually informative and therefore  
23 would belong in a bibliography (informative annex).

24 All IEEE standards shall use metric units as the primary units of measure. Customary equivalents may be  
25 included in the text after the metric units in parentheses. In the case of tables, separate tables for metric and  
26 customary units may be included. See National Electrical Safety Code<sup>®</sup> (NESC<sup>®</sup>) (Accredited Standards  
27 Committee C2-2012) and National Electrical Code<sup>®</sup> (NEC<sup>®</sup>) (NFPA 70, 2011 Edition) for examples. For  
28 more information on the use of metric in IEEE standards, see IEEE/ANSI SI 10. For guidance on the use of  
29 letter symbols for units of measurement, refer to IEEE Std 260.1-2004.

---

<sup>14</sup> Notes in text, tables, and figures of a standard are given for information only and do not contain requirements needed to implement this standard.

<sup>15</sup> IEEE SA approved templates can be found online at <https://standards.ieee.org/develop/drafting-standard/resources.html>.

<sup>16</sup> Notes to text, tables, and figures are for information only and do not contain requirements needed to implement the standard.

1 **4.2. Lists**

2 Lists in a clause or subclause may be ordered or unordered.

3 The following is an example of a properly formatted ordered list:

- 4 1) Name of the manufacturer  
 5 2) Connection chart showing  
 6 a) Full winding development  
 7 b) Taps  
 8 3) Self-impedance (for linear coupler transformers)  
 9 a) Reactance  
 10 b) Impedance  
 11 i) For volts  
 12 ii) For amperes

13 The following is an example of a properly formatted unordered list:

- 14 – Begin with a capital letter.  
 15 – Include final punctuation for all items in the list if one item in the list is a complete sentence.

16 **4.3. Tables**

17 Tables should be cited in text and the significance of the tables explained. Table titles are positioned above  
 18 the tables. [Table 1](#) shows the nomenclature of a properly formatted table.

19 **Table 1—Table formatting**

Column heading	Column heading	Column heading <sup>a</sup>	
		Column heading	Column heading
Line heading	Tabulated data (individual positions within the body of the table are called <i>cells</i> )		
Subheading			
Subheading			
Line heading			
NOTE 1— This table is provided as an example. The structure of actual tables may vary depending on the data being displayed.			
NOTE 2— Use 0.75 Xd for hydrogenerators without amortisseur windings.			

20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32 <sup>a</sup> Table footnotes are considered to be a normative part of the document.

33 Column headings are in bold and centered. If a table extends beyond one page, carry the title of the table  
 34 over to each subsequent page with “(continued)” after the title. Table notes are informative; table footnotes  
 35 are normative.

1 The following is an example of an informal table. Note that there is no title or table number. Use these  
2 sparingly. It is preferred that all tables are numbered and titled.


3

Cable type	Rated voltage (kV)
High pressure	69–161
Low pressure	10–29
Gas-filled	30–46
Low and medium pressure	15–161
Liquid-filled	230

#### 10 4.4. Figures

11 Figures should be cited in text and the significance of the figures explained. Figure titles are positioned below  
12 the figures themselves. Figures can be created using text or graphics software. [Figure 1](#) and [Figure 2](#) show  
13 properly formatted figures.


SHORTER CAPTIONS  
SHOULD BE ALL CAPS,  
IN 8 POINT TYPE



This is an example of 8 point  
Arial in initial capital (should not  
be used with all-caps caption)


14

**Figure 1—Typographical specifications for figure title**



15

**Figure 2-1—vibration test**



1 **Figure 2-2—shock test**

2 **Figure 2—A sample of figure presentation**

3 NOTE—Notes to figures are formatted between the graphic and the figure caption.

#### 4 **4.5. Equations**

5 Equations should be cited in text and the significance of each equation explained. The equation number should  
6 be right-aligned. See [Equation \(1\)](#).

$$7 \quad Y(x) = Y_0 \exp\left[-(x - x_0)^2 / (2f^2)\right] \quad (1)$$

8 where

9  $Y(x)$  is the amplitude of the Gaussian function at channel  $x$

10  $Y_0$  is the height of the Gaussian at the centroid channel

11  $x$  is the channel number

12  $x_0$  is the centroid of the Gaussian

13  $f$  is the width of the Gaussian

1 **Annex A**  
2 (informative)  
3 **Sample bibliography**

4 Bibliographical references are resources that provide additional or helpful material but do not need to be  
5 understood or used to implement this standard. Reference to these resources is made for informational use  
6 only.

7 [B1] IEEE Std XXX<sup>TM</sup>-YEAR, IEEE Standard for Something Industry Needs.

8 [B2] *Name of Book Title in Italics*. City of Publication, State: Name of Publisher, Year of Publication.  
9 First and Last Page of Reference.

10 [B3] ISO/IEC 9945-1:2003, Information technology—Portable Operating System Interface (POSIX)—  
11 Part 1: Base Definitions.



1 **Annex B**  
2 (normative)  
3 **Structure of a sample annex**

4 **B.1. Overview**

5 **B.1.1. Title**

6 Every annex shall be given a title and shall be designated either a normative or an informative annex. Notice  
7 that the numbering now contains the annex letter. See [Equation \(B.1\)](#):

8 
$$Y(x) = Y_0 \exp\left[-(x - x_0)^2 / (2f^2)\right] \quad (\text{B.1})$$

9 where

10  $Y(x)$  is the amplitude of the Gaussian function at channel  $x$

11  $Y_0$  is the height of the Gaussian at the centroid channel

12  $x$  is the channel number

13  $x_0$  is the centroid of the Gaussian

14  $f$  is the width of the Gaussian

15 **B.1.2. Clause and subclause organization**

16 The material in an annex should be organized into clauses and subclauses just like the body text. There should  
17 be at least two subclauses in any subdivision so that if there is one second-level header, there should be at  
18 a minimum one other one.

19 **B.2. Material in annexes**

20 Tables, figures, equations, lists, etc., in an annex are formatted like they would be in the body of the text  
21 except that

22 – Tables are numbered according to the annex letter (see [Table B.1](#)).

23 – Figures are labeled according to the annex letter (see [Figure B.1](#)).

24 **Table B.1—Sample table in an annex**

25  
26  
27  
28  
29  
30  
31  
32

Column heading	Column heading	Column heading	
		Column heading	Column heading
Line heading	Tabulated data (individual positions within the body of the table are called <i>cells</i> )		
Subheading			
Subheading			


1

**Table B.1—Sample table in an annex** *(continued)*

2

Line heading			
--------------	--	--	--

SHORTER CAPTIONS  
SHOULD BE ALL CAPS,  
IN 8 POINT TYPE



This is an example of 8 point  
Arial in initial capital (should not  
be used with all-caps caption)

3

**Figure B.1—Sample figure in an annex**